

# INDEX MAPS.

**T. 38 N. R. 4 W. 2<sup>nd</sup> Mer.**

*Meanders - 80*

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

*Michigan Lake*

Handwritten numbers on lines: 67, 71, 72, 74, 70, 66, 78, 75, 73, 72, 69, 65, 64, 63.

**T. 29 N. R. 5 W. 2<sup>nd</sup> Mer.**

88	87	87	87	86	86
6	103	5	100	4	97
7	102	8	99	9	96
18	102	17	99	16	96
19	101	20	98	21	95
30	101	29	98	28	95
31	100	32	97	33	94

Handwritten numbers on lines: 86, 92, 94, 91, 85, 93, 90, 84, 83.

my Township 38 North Range 4 West, 2<sup>nd</sup> Meridian

C. L. South Boundary.

West On S. side sec. 36,  
 18.90 an Ironwood 4 in. dia,  
 40.00 Set of sec. post from which  
 a Beech 8 in. dia, bears N 32° W 12 lks. dist,  
 & a W. Elm 8. " " " N 51° E 15 " "  
 54.33 a Beech 34 " "  
 80.00 Set post cor. sec. 35 & 36 from which  
 a Lym 18 in. dia, bears N 8° W 11 lks. dist,  
 & a Beech 8 " " " N 75° E 52 " "  
 Level wet sec. 35 & 36 rate land, Timber  
 Beech, Sugar Elm, Lym Ironwood &  
 Mud, Elm, Spruce, ash Water Birch & Marsh,

West On S. side Sec. 35  
 3.75 a Branch 4 lks. wide ex, N. W.  
 9.30 " Do. 4 " " " N.  
 17.00 " Do. 3 " " " N. W.  
 28.03 a Bl. Ash 24 in. dia,  
 28.25 " Branch 6 lks. wide cor. S. W.  
 31.50 " Same " " " " N. W.  
 32.00 " Do. " " " " S. W.  
 32.50 " Do. " " " " N. W.  
 32.75 " Do. " " " " S. W.  
 40.00 Set of sec. post from which  
 a W. Oak 22 in. dia, bears N 47° W 14 lks. dist,  
 & a Beech 22 " " " N 79° E 45 " "  
 58.00 a stream 60 lks. wide cor. N. W.  
 & Enter prairie  
 71.50 Leave Do. & Enter burrens  
 80.00 Set post cor. sec. 34 & 35 from which  
 a W. Oak 16 in. dia, bears N 59° W 35 lks. dist,  
 & a Bl. Oak 16 " " " N 9° E 27 " "  
 Part level, & part rolling 2<sup>nd</sup> & 3<sup>rd</sup> rate land  
 Timber Oak, Beech, Ash Elm Lym & Mud

T. 38 N. R. 4 W. 2<sup>nd</sup>. Mer. Ind.<sup>a</sup>

Co. L. Undergrowth Spruce ash Rowan Oak Hackberry,

Nest On S. side Sec. 34

25.70 a Bl. Oak 20 in. dia.

40.00 Set g<sup>r</sup>. sec. post from which  
a W. Oak 38 in. dia. bears N 48° W. 12 in. dia.  
+ a Poplar 14 " " " N 25° E 42 "

58.68 a W. Oak 24 " "

80.00 Set post cor. Sec. 33 & 34 from which  
a W. Oak 22 in. dia. bears N 69° E W 37 in. dia.  
+ a Do. 20 " " " N 53° E 35 "

Level wet 3<sup>rd</sup> rate land, timber Oak  
Pine, Poplar &c. Mud, Gtks, Hazel Willow  
Dogwood Sassafras &c

Nest On S. side Sec. 33

20.17 a W. Elm 20 in. dia.

40.00 Set g<sup>r</sup>. sec. post from which  
a Poplar 8 in. dia. bears N 68° E 6 in. dia.  
+ a W. Oak 5 " " " N 65° W 16 " "

64.03 a Poplar 18 " "

67.50 Enter wet prairie

80.00 Set a post cor. sec. 32 & 33 from which  
no bearings. Raise a mound,  
Level sec. 3<sup>rd</sup> & 3<sup>rd</sup> rate land, mostly  
wet, timber, Oak, Elm ash aspen  
Poplar &c. Mud, Gtks, aspen Sassafras  
Willow, Hazel &c

Nest On S. side Sec. 32

22.00 Leave wet prairie

25.32 a W. Oak 36 in. dia.

29.00 Enter prairie

37.00 Leave same

40.00 Set g<sup>r</sup>. sec. post from which  
a Red Oak 24 in. dia. bears N 47° W 18 in.

65

T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

- 61.13 a Hickory 4 in. dia, bears N 51 E 8 ths. dist,  
 68.00 Enter wet prairie cr. N. E & S. W,  
 80.00 Set post cor. Sec. 31 & 32 from which  
 no bearings. Raise a mound,  
 Met level 2<sup>nd</sup> & 3<sup>rd</sup> rate land timber Oak  
 ash. Elm aspen &c. W. G. aspen Willow &c.

- West On S. side Sec. 31  
 36.00 Enter timbered land  
 39.50 " wet prairie  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Forked Maple 30 in. dia. bears N 81 E 41 ths. dist,  
 & as other convenient,  
 52.50 Leave wet prairie  
 61.07 a Bl. Oak 12 in. dia,  
 68.00 Enter Pine or Tamarac Swamp  
 80.00 Set post cor. Twp. 37 & 38 N. R. 4 & 5 W.  
 a Pine Bush 4 in. dia, bears N 78 E W 18 ths. dist,  
 & a Do. " 4 " " " N 46 E 11 " "  
 & a Do. " 5 " " " S 29 W 15 " "  
 a Jack Oak 6 " " " S 68 E 29 " "  
 Level wet 3<sup>rd</sup> rate land timber Oak Pine  
 W. G. Hazel. Whortle. Pine Tamarac Gum birch &c,  
 June 27<sup>th</sup> 1829, Surveyed by -  
 Thomas Brown D. S.,  
 Thomas Brown. Dep. Sur,

East Boundary.

- North On E. side Sec. 36  
 5.50 a Branch 3 ths. wide cr. S. E,  
 23.90 a Beech 18 in. dia,  
 40.00 Set q<sup>r</sup>. sec. cor. post from which  
 a Beech 26 in. dia, bears N 74 W 37 ths. dist,  
 & a Do. 18 " " " S 46 W 12 " "



T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

55.16 a Sugar 20 in. dia,  
 80.00 Set post cor. Sec. 9, 25 & 36 from which  
 a Beech 22 in. dia. bears S 38° W 21 1/2 M. dist,  
 & a Sugar 16 " " " N 20° W 24 " "  
 Land mostly level sec. rate & timber mostly  
 Oak, Beech, Sugar Ash &c. Under growth  
 Dogwood Lyrus Ash Sugar Hickory haw, &c.

## North On E. side Sec. 25

6.00 a spring branch 4 M. wide en. W. & W.  
 15.00 " branch 4 " " " W,  
 20.46 a Poplar 20 in. dia,  
 40.00 Set post cor. Secs. from which  
 a Beech 8 in. dia. bears N 62° W 31 M. dist,  
 & a Do. 6 " " " S 59° W 14 " "  
 59.98 a Beech 16 " " &  
 70.00 a large swamp en. W.  
 80.00 Set post cor. Sec. 24 & 25 from which  
 a Sycamore 22 in. dia. bears N 45° W 1 1/2 M. dist,  
 & a W. Elm 6 " " " S 19° W 9 " "  
 Level wet & 3<sup>d</sup> rate land timbered Elm  
 Oak, Beech Poplar, Sycamore, Maple &c,  
 Under growth Water Beech Elm &c —

## North On E. side Sec. 24

19.13 a Beech 18 in. dia,  
 35.00 Cut the W. end of a swamp  
 40.00 Set q. sec. post from which  
 a Red Oak 30 in. dia. bears S 32° W 18 M.,  
 & a Beech 6 " " " N 12 1/2° W 35 " dist,  
 55.50 Enter swamp Offset = E. 3.50 -  
 63.50 Paid offset = W. 3.50 -  
 69.43 a Beech 22 in. dia,  
 80.00 Set post cor. Sec. 13 & 24 from which  
 a R. Oak 5 in. dia. bears S 11° W 26 M. dist,  
 & a Poplar 10 " " " N 27° W 46 " "

67

<sup>4</sup>  
T. 38 N. R. 4 W. 2<sup>nd</sup>. New. Ind.<sup>a</sup>

C. L. Level wet sec. rate land, timber Beech  
Oak Sugar Elm, Poplar &c. Under growth  
Honeysuckle Sassafras Sycamore &c

---

North On E. side of Sec. 13,

15.00 To a G. Ash 16 in. dia. & Enter great  
swamp en. N. E & S. W.

40.00 Set gr. sec. post from which  
a Red Oak 18 in. dia. bears N 55 W 28 lbs.  
& a Maple 26 " " " S 38 W 50 "

40.50 Leave swamp

56.88 a Beech 18 in. dia.

58.50 Enter a swamp

69.00 Leave the Do.

69.82 a Pine 36 in. dia.

80.00 Set post cor. Sec. 12 & 13 from which  
a T. Oak 10 in. dia. bears N 38 W 33 lbs. dist.  
& a Do. 12 " " " S 48 W 23 " "

Mostly level 2<sup>nd</sup> rate land, timber  
Beech Pine, Oak Hickory Poplar Elm &c.  
N. Y. Spice Hazel Elder Shocmake aspen willow,

---

North On E. side Sec. 12,

33.19 a Poplar 10 in. dia.

35.00 a stream 10 lbs. wide en. N. E

40.00 Set gr. sec. post from which  
a Bl. Oak bush 4 in. dia. bears N 52 W 22 lbs. dist.  
& a W. Oak 20 " " " S 60 W 49 " "

43.11 To N. boundary of state of Indiana

31.50 chs. E. of a Pine on margin of  
lake Michigan where set post corner  
frac. T. 38 N. Range 3 & 4 W. & Cor. frac.  
Sec. 7 & 12. from which post,

a Bl. Oak 4 in. dia. bears S 67 W 8 lbs. dist.  
& a Do. 4 " " " S 56  $\frac{1}{2}$  E 45 " "

Poor barren wet 3<sup>rd</sup> rate land, timber

<sup>by</sup> T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

Co. L. Oak, Pine &c. N. G. aspen Oak Hazel  
birch &c. June 16<sup>th</sup> 1829

Surveyed by —

Thomas Brown. Dep. Sur.

North Boundary,  
State line, Var.

West Boundary, Var. 5<sup>th</sup> 35<sup>th</sup> E.

North On E. side Sec. 36 T. 38 N. R. 5 W,  
15.35 a Birch 6 in dia. Enter wet prairie  
40.00 Set gr. sec. post from which in Do.  
where raise a mound  
54.00 Leave wet prairie & Enter barrens  
58.80 a Bl. Oak 16 in dia. on a high peak of sand  
80.00 Set post cor. Sec. 25 & 36 from which  
a W. Oak 16 in dia. bears N 9<sup>th</sup> W 54 lth. dist,  
& a Jack Oak 4 " " " S 45<sup>th</sup> W 3 " "  
Fast level part wet broken land, sand  
hills, all 3<sup>d</sup> rate, timber, Oak Pine Birch  
aspen &c. Mud, Yth, Willow, Oak, Hazel &c

North On E. side Sec. 35 T. 38 N. R. 5 W,  
11.60 To lake Michigan. Set post on E. side  
cor. frac. Town 38 N. R. 4 & 5 W, also cor.  
frac. sec. 25 & 30 from which  
a Bl. Oak 14 in dia. bears N 72<sup>th</sup> E 63 lth. dist,  
& a Do. 16 " " " S 41<sup>th</sup> W 52 " "  
This post stands on a high sand bank  
at least 30 feet above the level of the  
lake. Land broken & sandy barrens  
forever! — 4<sup>th</sup> rate at best.

Surveyed in 1829 By

Thomas Brown Dep. Sur.

by 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

### Subdivision,

North Between sections 35 & 36

- 26.00 an Indian trail en. W,  
 26.93 a B. ash 15 in. dia,  
 40.00 Set gr. sec. post from which  
     a Lynx 7 in. dia, bears N 70 E 15 M. dist,  
     & a Beech 18 " " " S 20 W 14 " "  
 49.50 a stream 10 M. wide en. N.E.,  
 50.50 . Do. " " " " N.W.,  
 56.84 a Lynx 18 in. dia,  
 63.00 a stream 15 M. wide en. N.W.,  
     Deep & rapid,  
 80.00 Set post cor. Sec. 25 & 36 from which  
     a Maple 15 in. dia, bears S 5 W 14 M. dist,  
     & a Poplar 10 " " " N 74 E 27 " "  
 Land rolling sec? rated & timbered is  
 Sugar, Beech Elm & Lynx Oak ash &c,

East On Random between Sec. 25 & 36

- 40.00 Set temporary gr. sec. post  
 60.00 a stream 10 M. wide en. S.W.,  
 79.53 To E. boundary, 11 M. N. of post

West Correct the line between Sec. 25 & 36

- 39.76± Set gr. sec. post from which  
     a Beech 15 in. dia, bears S 46 E 22 M. dist,  
     & a Do. 18 " " " N 85 W 25 " "  
 79.53 To sec. corner,  
 Land &c, same as last mile

North Between sections 25 & 26

- 1.00 a stream 10 M. wide en. W.,  
 25.18 a Beech 10 in. dia,  
 40.00 Set gr. sec. post from which  
     a Beech 18 in. dia, bears N 72 W 11 M. dist,  
     & a Do. 8 " " " S 72 E 14 " "



T. 38 N. R. 4 W. 2<sup>nd</sup>, Near End<sup>a</sup>

59.97 a Birch 10 in. dia,  
 80.00 Set post cor. Sec. 23, 24, 25, & 26 -  
 a Beech 12 in. dia, bears S 68 E 4 1/2 m. dist,  
 & a Do. 10 " " " S 52 W 15 " "  
 Land low wet, timbered Beech Sugar  
 Elm Ash & Oak &c

East On Random between sections 24 & 25  
 40.00 Set temporary g<sup>r</sup>. sec. post,  
 80.40 To E. line of Sec. 66 1/2 m. et. of post

West Correct line between Sec. 24 & 25  
 40.20 Set g<sup>r</sup>. sec. post from which  
 a Beech 18 in. dia, bears S 10 E 6 1/2 m. dist,  
 & a Do. 18 " " " S 63 W 47 " "  
 80.40 To Sec. corner, Land &c. same,

North Between Sections 23 & 24  
 2.00 Enter a B. Ash swamp  
 13.50 Leave " Do.  
 17.90 a Beech 9 in. dia,  
 23.00 Enter Pine & Tamarac swamp  
 40.00 Set g<sup>r</sup>. sec. post from which  
 a Tamarac 4 in. dia, bears N 78 W 8 1/2 m. dist,  
 & a Pine 7 " " " N 65 E 20 " "  
 56.80 a Do. 8 " "  
 78.00 Leave swamp (Apr. 2<sup>nd</sup> 1829.)  
 80.00 Set post cor. Sec. 13, 14, 23 & 24 -  
 a Pine 24 in. dia, bears S 85 W 60 1/2 m. dist,  
 & a W. Oak 8 " " " N 30 E 80 " "  
 Land swamp, from one end to the other

East On Random between Sec. 13 & 24  
 10.00 Enter Pine & Tamarac swamp  
 40.00 Set temporary g<sup>r</sup>. sec. post  
 75.00 Leave the swamp



71

by 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

80.20 Intersect E. line of sec. 40 th. N. of post

---

West Correct the line between sec. 13 & 24

40.10 Set gr. sec. post from which  
a Tamarac 4 in. dia. bears S 45 E 20 ths,  
4 a Do. 6 " " " N 30 W 10 "

80.20 To sec. corner, Land &c. same

---

North Between Sections 13 & 14

22.08 a W. Oak 14 in. dia.,

23.00 Enter a Tamarac swamp

40.00 Set gr. sec. post. from which  
a Tamarac 15 in. dia. bears S 39 E 34 ths,  
4 a Do. 14 in. dia. bears S 30 W 14 ths. dist

49.00 Leave swamp

53.20 a W. Oak 20 in. dia.,

80.00 Set a post cor. sec. 11, 12, 13 & 14 from which  
a W. Oak 9 in. dia. bears N 44 E 35 ths. dist 4  
a Do. 7 " " " " N 20 W 35 " "

Land Tamarac swamp & poor barrens  
timber scrub Oak & Pine &c

---

East On Random between sections 12 & 13.

40.00 Set temporary gr. sec. post

46.00 Enter a swamp

80.14 Intersect E. boundary of sec. at post

---

West Correct line between sec. 12 & 13

40.07 Set gr. sec. post from which  
a Pine 24 in. dia. bears N 70 W 16 ths. dist,  
4 a W. Oak 9 " " " " N 32 E 41 " "

80.14 To sec. corner, Land &c. same

---

North Between sections 11 & 12

7.50 To Lake Michigan Set post from which  
a Pine 10 in. dia. bears N 61 E 40 ths. dist.

<sup>42</sup> T. 38 N. R. 4 W. 3<sup>rd</sup> Mer. Ind<sup>a</sup>

C.L. & a Pine 10 in. dia. bears S 24 W 33 lks. dist.  
Land &c. same as before -

West Between sections 11 & 14

12.00 To Lake Michigan & set post from which  
a Pine 14 in. dia. bears S 36 E 18 lks. dist.,  
& a Do. 10 " " " N 44 E 15 " "  
Land very broken sandy soil -

North Between sections 34 & 35

24.45 a W. Oak 12 in. dia.,  
40.00 Set of <sup>2</sup> sec. post from which  
a Cherry 10 in. dia. bears S 60 E 22 lks. dist.,  
& a R. Oak 12 " " " N 26 W 26 " "  
45.00 an Indian trail cr. W.,  
45.90 a stream 60 lks. wide cr. W.,  
57.40 a G. ash 18 in. dia.,  
80.00 Set post cor. sec. 26. 27. 34 & 35 from wh.,  
a G. Oak 18 in. dia. bears N 80 E 14 lks. dist.,  
& a Beech 10 " " " N 55 W 24 " "  
Land broken soil thin, timber W &  
R. Oak G. & B. ash, Beech Maple &c

East On Randon between sec. 26 & 35

40.00 Set temporary <sup>2</sup> sec. post  
51.50 a stream 20 lks. wide cr. N. W.,  
73.50 " Do. 8 " " " S. W.,  
80.05 To E. boundary of sec. 20 lks. S. of post

West Correct line between sec. 26 & 35

40.02½ Set <sup>2</sup> sec. post from which  
a W. Oak 20 in. dia. bears S 66 W 85 lks. dist.,  
& a Do. 20 " " " N 5 W 35 " "  
80.05 Sec. corner. Nov. 3<sup>rd</sup> 1829.  
Land &c. same as last

73

by T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L. Land flat soil thin & timber as before

---

North Between Sections 26 & 27  
 18.88 To a W. Oak 30 in. dia.  
 28.50 a stream 20 lks. wide cr. W.  
 40.00 Set g<sup>r</sup>. sec. post from which  
     a Beech 9 in. dia. bears N 82 E 10 lks. dist.  
     & a Do. 9 " " " N 41 W 16 "  
 59.85 a Hickory 14 " "  
 80.00 Set post cor. sec. 22, 23, 26 & 27 from wh.  
     a Maple 12 in. dia. bears S 74 E 20 lks.  
     & a Beech 9 " " " N 72 W 22 " dist.  
 Land flat soil thin timber W. R. & B.  
 Oak, B. & G. Oak Poplar &c.

---

East On Random between sec. 23 & 26  
 40.00 Set a temporary g<sup>r</sup>. sec. post  
 79.90 Intersect the E. line of sec. 30 lks. S.

---

West Correct the line between sec. 23 & 26  
 39.95 Set g<sup>r</sup>. sec. post from which  
     a Hickory 8 in. dia. bears N 42 E 10 lks.  
     & a Beech 18 " " " S 50 E 25 "  
 79.90 To the sections corner,  
 Land & timber same as last

---

North Between Sections 22 & 23,  
 2.50 To a stream 10 lks. wide cr. W.  
 19.00 " Do. 6 " " " W.  
 20.05 a Pine 12 in. dia.  
 40.00 Set g<sup>r</sup>. sec post from which  
     a Pine 5 in. dia. bears S 26 E 18 lks. dist.  
     & a Do. 4 " " " West 6 " "  
 59.00 Enter a Tamarac swamp  
 62.80 a Tamarac 8 in. dia.  
 80.00 Set post cor. sec. 14, 15, 22 & 23 from wh.

T. 38 N. R. 4 W. 2<sup>d</sup> Mer. Ind.

6.26 a Pine 10 in. dia. bears S 12 E 70 M. dia.  
 & a Do. 14 " " " N 53 E 89 " "  
 Land on the S. Pine & Oak barrens,

East On Random between sec. 14 & 23,  
 35.00 Leave Swamp  
 40.00 Set a temporary gr. sec. post  
 80.02 Entered E. line of sec. 40 M. S. of post,

West Correct the line between sec. 14 & 23,  
 40.00 Set gr. sec. post from which  
 ..... a Pine 20 in. dia. bears N 21 E 45 M. dia.  
 & a Do. 20 " " " S 83 W 23 " "  
 80.02 To sec. corner,  
 Land barrens on E. & broken soil &  
 thin timber, Pine & scrub Oak,

North Between Sections 14 & 15  
 1.00 Leave Swamp & Enter barrens  
 15.50 a Red Oak 9 in. dia.  
 39.24 To lake Michigan & set post from which  
 a Pine 12 in. dia. bears S 47 W 17 M. dia.  
 & a Do. 15 " " " N 72 E 110 " "  
 Land broken & poor barrens, timber  
 Pine & scrub Oak &

West Between Sections 15 & 22,  
 1.00 Leave swamp  
 40.00 Set gr. sec. post from which  
 a G. Oak 7 in. dia. bears S 40 W 14 M. dia.  
 & a Do. 7 " " " N 5 W 22 " "  
 65.00 To lake Michigan & set post from which  
 a Red Oak 8 in. dia. bears S 88 W 20 M.  
 & a Do. 4 " " " S 15 E 16 "  
 Land broken, soil thin, timber scrub  
 Oak & Pine &



75

38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

North Between sections 33 & 34

22.04 a Pine 18 in. dia,  
 40.00 Set gr. sec. post from which  
 a Pine 30 in. dia. bears S 78° 3' W 3 1/2 m. dist,  
 & a Do. 24 " " " S 25° W 40 " "  
 61.00 a stream 15 m. wide cr. N. E,  
 65.08 " Pine 30 in. dia,  
 80.00 Set post cor. sec. 27, 28, 33 & 34 from wh,  
 a W. Oak 12 in. dia. bears S 42° E 6 1/2 m. dist,  
 & a Do. 12 " " " N 12° W 8 " "  
 Land separate bearing timber Pine Oak,

---

East On Randon between sec. 27 & 34

40.00 Set a temporary gr. sec post,  
 41.00 an Indian trail cr. W,  
 45.00 a stream 15 m. wide cr. N. E,  
 71.00 a Do. 70 " " " N. W,  
 79.88 To E. boundary of sec. 40 m. S. of post

---

West Correct the line between sec. 27 & 34

39.94 Set gr. sec. post from which  
 a W. Oak 12 in. dia. bears S 15° W 39 m. dist,  
 & a Do. 18 " " " N 10° E 30 " "  
 79.88 To sec. corner, Land flat soil thin  
 timber Oak, Pine Birch Sugar Lygn ash  
 on the E. side — Nov. 5<sup>th</sup> 1829

---

North Between sections 27 & 28,

9.00 an Indian trail cr. W,  
 27.94 a W. Oak 12 in. dia,  
 38.00 a stream 10 m. wide cr. N. E,  
 40.00 Set gr. sec. post from which  
 a W. Oak 9 in. dia. bears S 66° W 54 m. dist,  
 no other timber near,  
 65.00 Leave barrens  
 68.14 a Lygn 18 in. dia,



*T. 38 N. R. 4 W. 2<sup>nd</sup>. Mer. Ind<sup>a</sup>*

72.50 a stream 70 lbs. wide cr. W.  
 80.00 Set post cor. sec. 21, 22, 27 & 28,  
 a G. Oak 9 in. dia. bears N 36 E 20 lbs. dist,  
 & a B. Do 9 " " S 3 E 50 " "  
 Land barrens on S. timber Pine & W. Oak

East On Random between sec. 22 & 29  
 5.00 a stream 70 lbs. wide cr. S. W.  
 8.00 " Do. 6 " " " N. W.  
 19.25 " Do. " " " " S. W.  
 40.00 Set temporary gr. sec. post,  
 47.00 same stream cr. N. W.  
 50.00 " Do. " S. W.  
 57.00 " Do. " N. W.  
 80.04 To E. boundary of sec. at post,

West correct the line between sec. 22 & 29  
 40.02 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S 88 E 22 lbs. dist,  
 & a Do. 9 " " " N 54 W 20 " "  
 80.04 To the sec. corner, land flat soil  
 thin, timber ash, Maple Oak &

*North Between sections 21 & 22*

2.00 Enter barrens  
 40.00 set gr. sec. post from which  
 a G. Oak 4 in. dia. bears S 24 E 10 lbs. dist,  
 & a W. Oak 7 " " " S 73 W 12 " "  
 68.00 To lake Michigan & set post from which  
 a G. Oak 9 in. dia. bears S 43 E 18 lbs. dist,  
 & a W. Oak 9 " " " S 24 W 25 " "  
 Land broken soil thin, timber Oak & Pine,

*North Between sections 32 & 33,*

6.00 Leave wet prairie  
 17.12 a W. Oak 12 in. dia.

77

T. 38 N. R. 4 W. 2<sup>nd</sup>. Mon. Ind.

- 40.00 Set gr. sec. post from which  
a G. ash 10 in. dia. bears S 81 E 15 ths,  
& a Do. 4 " " " S 66 W 9 " dit,
- 41.00 Enter wet prairie
- 57.00 Leave the " Do,
- 60.07 a W. Oak 30 in. dia.,
- 80.00 Set post cor. sec. 28, 29, 32 & 33 from wh,  
a G. Oak 18 in. dia. bears N 71 W 68 ths. dit,  
& a W. Oak 6 " " " N 18 E 53 " "  
Land barren, wet prairie Oak & Pine

- 
- East On Randon between sections 28 & 33,
- 37.00 Enter wet prairie
- 40.00 Set temporary gr. sec. post,
- 67.00 Leave wet prairie
- 80.00 Intersect E. boundary of sec. 38 ths. S,  
of post, Nov. 6<sup>th</sup> 1829,

- 
- West Correct the line between sec. 28 & 33,
- 40.00 Set gr. sec. post from which  
a W. Oak 18 in. dia. bears N 89 W 43 ths.  
& as other near,
- 80.00 Sec. corner, Land &c. same,

- 
- North Between sections 28 & 29
- 24.60 a G. Oak 12 in. dia.,
- 31.00 an Indian trail crs. W,
- 40.00 Set gr. sec. post from which  
a Sugar 12 in. dia. bears N 67 E 16 ths. dit,  
& a Lym 13 " " " S 9 W 29 " "
- 47.50 a Stream 80 ths. wide crs. N.W.
- 62.90 a Red Oak 12 in. dia.,
- 80.00 Set post cor. sec. 20, 21, 28 & 29  
a Pine 4 in. dia. bears N 50 W 7 ths. dit,  
& a Do. 4 " " " S 65 E 25 " "  
Land poor barren & timbered Oak & Pine,

T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

East On Random between 21 & 28,  
 40.00 Set temporary gr. sec. post,  
 79.84 To E. line of sec. 50 th. S. of post,

West Correct the line between sec. 21 & 28,  
 39.92 Set gr. sec. post from which  
 a G. Oak 7 in. dia. bears East 56 th. dist,  
 & a Do. 5 " " " S 84 W 50 " "  
 79.84 To sec. corner,  
 Land broken barren, timber small  
 Oak & Pine, &c

North Between sections 20 & 21  
 19.00 To Lake Michigan & set post corner  
 frac. Sec. 20 & 21 from which  
 a Pine 16 in. dia. bears N 82 E 6 th. dist  
 & a Do. 4 " " " S 88 W 5 " "  
 Land broken barren sand hills, ash &c,

West Between sections 20 & 29  
 35.50 To Lake Michigan & set post corner  
 of frac. Sec. 20 & 29 from which  
 a Pine 15 in. dia. bears N 56 E 25 th. dist,  
 & a Do. 15 " " " N 68 W 45 " "  
 Land &c. same as on last mile,

North Between sections 31 & 32  
 20.50 Leave wet prairie  
 40.00 Set gr. sec. post from which  
 a G. Oak 20 in. dia. bears N 21 E 34 th. dist,  
 & a Do. 18 " " " S 18 W 53 " "  
 60.04 a W. Oak 12 " "  
 80.00 Set a post cor. sec. 29, 30, 31 & 32 from wh.  
 a Red Oak 20 in. dia. bears N 36 E 9 th. dist,  
 & an Elm 30 " " " N 65 E 60 " "  
 Land sec. rate, barren, timber G. B. & W. Oak

79

T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind?

East On Randon between sec. 29 & 32  
 40.00 Set temporary gr. sec. post  
 80.20 To E. line of Sec. 50 1/2 m. N. of post

---

West Correct line between sec. 29 & 32  
 40.10 Set gr. sec. post from which  
     a Y. Oak 12 in. dia, bears N 2 W 53 m. dist,  
     & a Do. 18 " " " S 56 E 89 " "  
 80.20 To sec. corner, Land level sec. rate  
     timber same as before

---

North Between sections 29 & 30  
 4.00 a stream 15 m. wide en. N. E,  
 16.30 a Y. Oak 20 in. dia,  
 40.00 Set gr. sec. post from which  
     a Y. Oak 5 in. dia, bears N 7 W 5 m. dist,  
     & a W. Oak 10 " " " S 17 W 22 " "  
 52.00 To Lake Michigan & set post corner  
     from sec. 29 & 30. from which  
     a Pine 9 in. dia, bears S 48 E 25 m. dist,  
     & a Do. 9 " " " S 7 W 32 " "  
     Land much broken & poor farming,  
     timber small Pine & Oak &c

---

West Between sections 30 & 31  
 3.00 a stream 15 m. wide en. N. E,  
 26.50 a W. Oak 9 in. dia,  
 40.00 Set gr. sec. post from which  
     a Pine 18 in. dia, bears East 42 m. dist,  
     & a W. Oak 7 " " " S 48 W 62 " "  
 78.78 To W. boundary 2.30 m. N. of post  
     & set post cor. Sec. 30 & 31 from which  
     a Y. Oak 10 in. dia, bears N 50 E 34 m. dist,  
     & a Do. 9 " " " S 35 E 45 " "  
     Land &c. same as before  
     (Nov. 8<sup>th</sup> 1829.)



by T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Meanders of Lake Michigan,  
Begin at post in state line, sec. 12,  
Course C. L., Remarks,  
S 53 $\frac{3}{4}$  W 60.30 To post between sec. 11 & 12.

---

S 59 W 14.00 To post between Sec. 11 & 14

---

S 59 $\frac{1}{4}$  W 79.20 To post between Sec. 14 & 15

---

S 58 $\frac{3}{4}$  W 76.00 To post between Sec. 15 & 22

---

S 51 $\frac{1}{4}$  W 19.20 To post between Sec. 21 & 22

---

S 58 $\frac{1}{2}$  W 93.80 To post between Sec. 20 & 21

---

S 62 W 40.25 To post between Sec. 20 & 29

---

S 58 W 20.00 across a stream 100 yds. wide

S 58 W 52.50 To post between Sec. 29 & 30

---

S 63 $\frac{1}{4}$  W 89.60 To post in Range line  
between ranges 4 & 5 W, —

---

Pursuant to a contract dated Sept. 16<sup>th</sup> 1829, and instructions from William Lytle Surveyor General, U. States, I have surveyed & subdivided into sections the foregoing frac. township 38 N. Range 4 W, 2<sup>nd</sup> Mer. Indiana, described in said contract. & I certify that the foregoing are correct & true field notes of the lines which they purport to be, as part of said contract.

Certified this 4<sup>th</sup> day of February 1830.

Thomas Henderson, D. S.



81

T. 38 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

I certify that the foregoing transcript of  
field notes of Township 38 North Range 4  
West, 2<sup>nd</sup> Meridian state of Indiana, has  
been compared with the original in this  
office and found to be correct.

William Gopustton  
Sur. Genl.

Surveyor General's office,  
Cincinnati, Sept. 15<sup>th</sup> 1842.